

Product datasheet

Specifications



Disbo Extra Row 250 A max - 4 rows Flush mount, Flat Door

DBXROW4FD

⚠ Discontinued on: Sep 13, 2024 AD

⚠ Discontinued

Main

Range of the product	Disbo Extra
Product or component type	Empty consumer unit
enclosure type	Row Disbo
Device application	Low voltage electrical distribution
Number of horizontal rows	4
Provided equipment	Enclosure Earthing bar Pan assembly

Complementary

Number of 18 mm modules per row	16
[In] rated current	250 A
Rated voltage	220...440 V AC 50/60 Hz
[Ui] rated insulation voltage	690 V AC
Protection device options	Isolator 250 A max as incomer Molded case circuit breaker (MCCB) 250 A max as incomer RCCB 125 A max as incomer Residual current circuit breaker with overcurrent protection (RCBO) 63 A max as outgoer
Enclosure mounting	Flush
Door type	Plain flat door
Type of rail	DIN
Cable entry	Removable gland plate at top and bottom of the enclosure
Enclosure material	zinc coated metal sheet 1.2 mm thickness
Colour	White (RAL 9002)
Width	Outside: 440 mm Embedded: 400 mm
Height	Outside: 890 mm Embedded: 850 mm
Depth	Outside : 149 mm Embedded : 117 mm

Environment

IP degree of protection	IP41 conforming to IEC 60529
Ambient air temperature for operation	50 °C

Standards	IEC 439-3
------------------	-----------

Product certifications	Veritas SASO ASTA
-------------------------------	-------------------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Weight	0.001 g
-------------------------	---------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)